



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/675,931	09/29/2003	Jari Tapio Korpinen	915-006.027	2376

4955 7590 12/27/2005

WARE FRESSOLA VAN DER SLUYS &
ADOLPHSON, LLP
BRADFORD GREEN BUILDING 5
755 MAIN STREET, P O BOX 224
MONROE, CT 06468

EXAMINER

KHAN, SUHAIL

ART UNIT	PAPER NUMBER
----------	--------------

2686

DATE MAILED: 12/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-4, 6-22 and 24-29 rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent App. Pub. No. 2003/0139175 to Kim.

Referring to **claim 1**, Kim discloses a method for remote initiation of at least one application executable on a remote terminal device (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server); characterized by: dialing a first sequence identifying a remote subscriber (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence); dialing at least one second sequence; and transmitting a call set-up request in order to establish a voice connection to a public land mobile network (PLMN) (page 3, paragraph 41, user's request for remote control; page 1, paragraph 5, voice, public switched telephone network); wherein said at least one second sequence corresponds to an application identifier which is associated with said at least one remote application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification of the numeric key leads to appropriate control

Art Unit: 2686

application, this command is interpreted as the second sequence); and wherein said call set-up request comprises said sequences (page 3, paragraph 41, user's request for remote control; page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence; page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification of the numeric key leads to appropriate control application, this command is interpreted as the second sequence).

Referring to **claim 2**, Kim discloses a method according to claim 1, wherein said first sequence corresponds to a subscriber number of said remote device (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end) and said first and said at least one second sequences are dialed to instruct said remote terminal device to initiate said at least one remote application (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected, interpreted as first sequence; page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence; page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server).

Referring to **claim 3**, Kim discloses a method according to claim 1, wherein said first sequence and said at least one second sequence are forming an extended subscriber sequence (page 9, paragraph 125, client searches through phone book to perform remote control, remote

Art Unit: 2686

control end selected, interpreted as first sequence; page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence; it is inherent that when first sequence and second sequence are entered in succession, an extended sequence is formed).

Referring to **claim 4**, Kim discloses a method according to claim 1, wherein said first sequence and said at least one second sequence are dialed separately (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected, interpreted as first sequence; separately, following is performed: page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence).

Referring to **claim 6**, Kim discloses a method according to claim 1, wherein said remote initiation of said at least one remote application allows for establishing a client/server environment (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server).

Referring to **claim 7**, Kim discloses a method according to claim 1, wherein at least one of said at least one second sequences corresponds to a parameter sequence for said at least one remote application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence).

Referring to **claim 8**, Kim discloses a method according to claim 3, wherein said extended subscriber sequence additionally comprises at least one separator, which delimits said first and/or second sequence from said first sequence and/or from said other second sequences

Art Unit: 2686

(page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected, interpreted as first sequence; page 5, paragraph 94, SEND button shown can be pressed to send first sequence. Now, separately, following is performed: page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence).

Referring to **claim 9**, Kim discloses a method according to claim 1, wherein said first sequence corresponds to a telephone number (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence).

Referring to **claim 10**, Kim discloses a method according to claim 1, further comprising: establishing a communication connection in consequence to said dialing; and transceiving DTMF-coded sequences to allow data communication with said remote terminal device (page 3, paragraphs 48 and 49, MS initiates a call, connected; DTMF is push button or touchtone dialing – SEND button and keys show in page 5, paragraph 94).

Referring to **claim 11**, Kim discloses a method for remote initiation of at least one application by an initiator terminal device (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server); characterized by: receiving an incoming call request originating from said initiator terminal device (page 3, paragraphs 48, MS initiates a call), wherein said request comprises a called party sequence (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected, interpreted as called party sequence); receiving at least one second sequence; and identifying at least one application in accordance with said at

Art Unit: 2686

least one second sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence; page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server), wherein the call request establishes a voice connection to a public land mobile network (PLMN) (page 1, paragraph 5, voice, public switched telephone network).

Referring to **claim 12**, Kim discloses a method according to claim 11, wherein said at least one second sequence is received as a part of said called party sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, this command is interpreted as the second sequence, which is performed after identifying called party - page 9, paragraph 125, client searches through phone book), wherein said method further comprises: examining said called party sequence to determine whether said called party sequence corresponds to an extended subscriber sequence formed a subscriber number and said at least one second sequence; and extracting said at least one second sequence from said called party sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification and examination of the numeric key, interpreted as extraction, leads to appropriate control application, this command is interpreted as the second sequence).

Referring to **claim 13**, Kim discloses a method according to claim 11, wherein said incoming call request and said at least one second sequence are received separately (page 9, paragraph 125, client searches through phone book to perform remote control, remote control

Art Unit: 2686

end selected, interpreted as first sequence; separately, following is performed: page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence).

Referring to **claim 14**, Kim discloses a method according to claim 11, further comprising starting said at least one application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application).

Referring to **claim 15**, Kim discloses a method according to claim 11, wherein said initiation of said at least one application allows for establishing a client/server environment with said initiator terminal device (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server).

Referring to **claim 16**, Kim discloses a method according to claim 11, wherein said called party sequence comprises a subscriber number (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end) and said at least one second sequence corresponds to an application identifier which is associated with said at least one application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application).

Referring to **claim 17**, Kim discloses a method according to claim 11, wherein at least one of said at least one second sequences corresponds to a parameter sequence for said at least one remote application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application).

Referring to **claim 18**, Kim discloses a method according to claim 11, further comprising establishing a communication connection in consequence to said receiving of said indication; and transceiving DTMF-coded sequences to allow data communication with said initiator terminal device (page 3, paragraphs 48 and 49, MS initiates a call, connected; DTMF is push button or touchtone dialing – SEND button and keys show in page 5, paragraph 94).

Referring to **claim 19**, Kim discloses a computer program product for executing a method for remote initiation of one or more remote applications, comprising program code sections for carrying out the steps of claim 1 (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server), when said program is run on a computer, a terminal, a network device, a mobile terminal, a mobile communication enabled terminal or an application specific integrated circuit (page 3, paragraphs 48, MS).

Referring to **claim 20**, Kim discloses a computer program product comprising program code sections stored on a machine-readable medium for carrying out the method of claim 1 (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server), when said program product is run on a computer, a terminal, a network device, a mobile terminal, a mobile communication enabled terminal, or an application specific integrated circuit (page 3, paragraphs 48, MS).

Referring to **claim 21**, Kim discloses a computer data signal embodied in a carrier wave and representing instructions which when executed by a processor cause the steps of claim 1 to be carried out (page 8, paragraph 111, remote control software program executed by a remote

Art Unit: 2686

control application of the mobile terminal serving as a client or server; page 10, paragraph 132 shows a call processor).

Referring to **claim 22**, Kim discloses a terminal device capable of mobile communications (page 3, paragraphs 48, MS), comprising: a dialing mechanism which is adapted to dial (page 5, paragraph 94, SEND button and keys) a first sequence and at least one second sequence to instruct a remote terminal device to initiate at least one remote application executable on said remote terminal device (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server); wherein said first sequence identifies said remote terminal device (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence), wherein said at least one second sequence corresponds to an application identifier which is associated with said at least one remote application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence); and a communication interface which is adapted to transmit a call set-up request and said at least one second sequence to a telephone network (page 3, paragraph 48, MS initiates a call; page 1, paragraph 5, public switched telephone network); wherein said call set-up request comprises a called party sequence which includes at least said first sequence (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence).

Referring to **claim 24**, Kim discloses a terminal device capable of mobile communications with an initiator terminal device (page 3, paragraph 39, exchange between mobile terminals), said terminal device including at least one application which is executable thereon (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server), comprising: a communication interface for receiving an incoming call request and at least one second sequence, wherein said incoming call request has been initiated by said initiator terminal device (page 3, paragraph 48, MS initiates a call); and an identification component for identifying at least one application in accordance with said at least one second sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification of the numeric key leads to appropriate control application, this command is interpreted as the second sequence), wherein the call request is for establishing a voice connection to a public land mobile network (PLMN) (page 1, paragraph 5, voice, public switched telephone network).

Referring to **claim 25**, Kim discloses a terminal device (page 3, paragraphs 48, MS) according to claim 24, comprising an examination component for examining said called party sequence to determine whether said called party sequence comprises among others said at least one second sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification and examination of the numeric key leads to appropriate control application, this command is interpreted as the second sequence).

Referring to **claim 26**, Kim discloses a terminal device according to claim 24, comprising an extraction component for extracting said at least one second sequence from said called party sequence in case said called party sequence comprises said second sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification and examination of the numeric key, interpreted as extraction, leads to appropriate control application, this command is interpreted as the second sequence).

Referring to **claim 27**, Kim discloses a terminal device according to claim 24, comprising an initiation component for starting said at least one application (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server).

Referring to **claim 28**, Kim discloses a system comprising an initiator terminal device and a remote terminal device (page 2, paragraph 15, system and method for enabling a user to control a mobile terminal at a remote place; (page 3, paragraph 39, exchange between mobile terminals), wherein said initiator terminal comprises: a dialing mechanism (page 5, paragraph 94, SEND button and keys) which is adapted to dial a first sequence and at least one second sequence to instruct a remote terminal device to initiate at least one remote application executable on said remote terminal device (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server); wherein said first sequence identifies said remote terminal device (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence),

Art Unit: 2686

wherein said at least one second sequence corresponds to an application identifier which is associated with said at least one remote application (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence); a communication interface which is adapted to transmit a call set-up request and said at least one second sequence to a telephone network (page 3, paragraph 48, MS initiates a call; page 1, paragraph 5, public switched telephone network); wherein said call set-up request comprises a called party sequence which includes at least said first sequence (page 9, paragraph 125, client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence), and wherein said remote terminal comprises: a communication interface for receiving an incoming call request and at least one second sequence (page 3, paragraphs 48, MS initiates a call; page 3, paragraph 39, exchange between mobile terminals), wherein said incoming call request which has been initiated by said initiator terminal device; and an identification component for identifying said at least one application in accordance with said at least one second sequence (page 8, paragraph 111, remote control command received from the remote terminal, numeric key process result provided to remote control application, interpreted as second sequence), wherein said telephone network is a public land mobile network (PLMN) (page 1, paragraph 5, public switched telephone network).

Referring to **claim 29**, Kim discloses a system according to claim 28, further comprising an initiation component for starting said at least one application (page 8, paragraph 111, remote control software program executed by a remote control application of the mobile terminal serving as a client or server).

Response to Arguments

7. Applicant's arguments filed 10/11/2005 have been fully considered but they are not persuasive.

Referring to claims 1-29, Applicant argues that Kim does not teach A) voice call link based communication; B) call set-up request.

Examiner respectfully disagrees. A) In page 1, paragraph 5, Kim shows both voice and data capabilities. B) In page 3, paragraph 41, Kim shows a user's request for remote control. This is interpreted as being the set-up request. This process entails: client searches through phone book to perform remote control, remote control end selected; phone book contains phone number for remote control end, interpreted as first sequence (page 9, paragraph 125); and remote control command received from the remote terminal, numeric key process results are provided to the remote control application, the identification of the numeric key leads to appropriate control application, this command is interpreted as the second sequence (page 8, paragraph 111).

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 2686

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suhail Khan whose telephone number is (571) 272-7910. The examiner can normally be reached on M-F from 8 am to 4:30 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold, can be reached at (571) 272-7905.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

sk

Marsha O Banks-Harold

MARSHA O. BANKS-HAROLD
SUPERVISOR, PATENT EXAMINERS
TECHNOLOGY CENTER